## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| BLACK BORDERS
| IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
| FADED TEXT OR DRAWING
| BLURRED OR ILLEGIBLE TEXT OR DRAWING
| SKEWED/SLANTED IMAGES |
| COLOR OR BLACK AND WHITE PHOTOGRAPHS
| GRAY SCALE DOCUMENTS
| LINES OR MARKS ON ORIGINAL DOCUMENT
| REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

□ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

	Number	Hits	Search Text	DB	Time stamp	
1		4823	(vertex vertic\$4 (volume near2 (view	USPAT;	2004/10/21 15:0	06
			edge))) and magnitud\$3 near2 compar\$5	US-PGPUB; EPO; JPO;		
	- 1			DERWENT;		
				IBM TDB		
2		42	((vertex vertic\$4) and (volume near2	USPAT;	2004/10/21 15::	25
			(view edge))) and magnitud\$3 near2	US-PGPUB;		
	İ		compar\$5	EPO; JPO;		
				DERWENT;		
_		_		IBM_TDB		
3		3	((vertex vertic\$4) and (volume near2	USPAT;	2004/10/21 15:	07
			<pre>(view edge))) and magnitud\$3 near2 compar\$5 with float\$4</pre>	US-PGPUB; EPO; JPO;		
			Comparss with floats4	DERWENT;		
				IBM TDB		
4		18	(vertex vertic\$4 (volume near2 (view	USPAT;	2004/10/21 15:	11
			edge))) and magnitud\$3 near2 compar\$5 with	US-PGPUB;		
			float\$\$	EPO; JPO;		
				DERWENT;		
				IBM_TDB		
5		2	345/\$.ccls. and (vertex vertic\$4 (volume	USPAT;	2004/10/21 15:	11
			near2 (view edge))) and magnitud\$3 near2	US-PGPUB;		
			compar\$5 with float\$\$	EPO; JPO; DERWENT;		
				· ·		
6	1	27	345/\$.ccls. and (((vertex vertic\$4) and	IBM_TDB USPAT;	2004/10/21 15::	20
U		21	(volume near2 (view edge))) and magnitud\$3	US-PGPUB;	2004/10/21 15	20
			near2 compar\$5)	EPO; JPO;	*	
				DERWENT;		
				IBM TDB		
7		. 8		USPĀT;	2004/10/21 15:3	20
			(volume near2 (view edge))) and magnitud\$3	US-PGPUB;		
			near2 compar\$5)) and absolute	EPO; JPO;		
				DERWENT;		
8		13	((vertex vertic\$4) and (volume near2	IBM_TDB USPAT;	2004/10/21 15::	22
Ο,		13	(view edge))) and magnitud\$3 near2	US-PGPUB;	2004/10/21 15:.	22
			compar\$5 and absolute	EPO; JPO;		
			oomparto ana abboraco	DERWENT;		
				IBM TDB		
9		0	345/\$.ccls. and (((vertex vertic\$4) and	USPĀT;	2004/10/21 15:2	26
			(volume near2 (view edge)))) same	US-PGPUB;		
			magnitud\$3 near2 compar\$5	EPO; JPO;		
	İ			DERWENT;		
11		54	345/\$.ccls. and (((vertex vertic\$4)	IBM_TDB	2004/10/21 15-	27
ΤŢ		24	(volume near2 (view edge)))) same	USPAT; US-PGPUB;	2004/10/21 15:2	Z 1
			magnitud\$3 near2 compar\$5	EPO; JPO;		
				DERWENT;		
				IBM TDB		
10		22	345/\$.ccls. and (((vertex vertic\$4) and	USPAT;	2004/10/21 15:3	31
			(volume near2 (view edge)))) same	US-PGPUB;		
			(magnitud\$3 or compar\$5)	EPO; JPO;	,	
				DERWENT;		
12	1	1	345/\$.ccls. and (((vertex vertic\$4) and	IBM_TDB	2004/10/21 15	22
12		1	(volume near2 (view edge)))) same	USPAT; US-PGPUB;	2004/10/21 15:3	33
			((magnitud\$3 or float\$4 absolut\$4) with	EPO; JPO;		
			compar\$5)	DERWENT;		
			· · ·	IBM TDB		
13		3	(((vertex vertic\$4) and (volume near2	USPAT;	2004/10/21 15:3	33
			(view edge)))) same ((magnitud\$3 or	US-PGPUB;		
			float\$4 absolut\$4) with compar\$5)	EPO; JPO;		
				DERWENT;		
1 1		າ	///worten wertisch)	IBM_TDB	2004/20/01 15	2.4
14		3	(((vertex vertic\$4) same (volume near2 (view edge)))) same ((magnitud\$3 or	USPAT;	2004/10/21 15:3	34
	1		(view edge)))) same ((magnitud\$3 or float\$4 absolut\$4) with compar\$5)	US-PGPUB; EPO; JPO;	!	
			,	LOUGE OFUE	i .	
				DERWENT;		

15	29	(((vertex vertic\$4) same (volume near2	USPAT;	2004/10/21 15:50
	į.	(view edge)))) and ((magnitud\$3 or float\$4	US-PGPUB;	
		absolut\$4) with compar\$5)	EPO; JPO; DERWENT;	
			IBM TDB	
17	1	5720019.pn. and ((magnitud\$3 or float\$4	USPAT;	2004/10/21 15:52
17	1	absolut\$4) with compar\$5)	US-PGPUB;	2004/10/21 13.32
		absolucy4) with comparys,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
16	1	5982380.pn. and ((magnitud\$3 or float\$4	USPĀT;	2004/10/21 15:51
		absolut\$4) with compar\$5)	US-PGPUB;	
	1	*	EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
18	1	,	USPAT;	2004/10/21 15:52
		absolut\$4) same compar\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1.0		5000000	IBM_TDB	2004/10/21 15.56
19	. 2	5982380.pn. and (( absolut\$4))	USPAT; US-PGPUB;	2004/10/21 15:56
			EPO; JPO;	·
			DERWENT;	
			IBM TDB	
20	2	(("5720019") or ("5982380")).PN.	USPAT;	2004/10/21 15:56
20		(( 3720013 ) 01 ( 3302300 ) / 1111	US-PGPUB	2001, 20, 22 20,00
21	2	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:32
		vertex	US-PGPUB	
22	1	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 16:48
		(transform\$4 transfer\$4)	US-PGPUB	
23	0	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 16:48
		(transform\$4 ) same (compar\$5) same volume	US-PGPUB	
24	0	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 16:49
		(transform\$4 ) same (compar\$5)	US-PGPUB	
25	1	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 16:49
0.5	_	(transform\$4 ) and (compar\$5)	US-PGPUB	0004/10/01 16 51
26	1	((("5720019") or ("5982380")).PN.) and	USPAT; US-PGPUB	2004/10/21 16:51
27	2	((transform\$4 ) and (volume) ((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 16:57
21		parallel	US-PGPUB	2004/10/21 10.5/
28	0	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 16:52
20	Ĭ	parallel same transform\$4	US-PGPUB	2001, 20, 21 10.02
29	2	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:03
		(code bit)	US-PGPUB	
30	2	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:02
		(code bit) same compar\$5	US-PGPUB	
31	0	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:02
		(ture false)	US-PGPUB	
32	2	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:03
		condition	US-PGPUB	0004/10/01 15 55
33	0	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:03
2.4		(code bit) with if	US-PGPUB	2004/10/21 19:22
34	2	((("5720019") or ("5982380")).PN.) and	USPAT; US-PGPUB	2004/10/21 17:33
35	2	vertex with (coordinat\$4 parameter) ((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:41
با	2	vertex with (coordinat\$4 parameter)	US-PGPUB	2004/10/21 1/:41
36	1	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:34
50		vertex with (coordinat\$4 parameter) same	US-PGPUB	
		transform\$4		
37	1	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:43
		(float\$5 magnitud\$4 compar\$5) same	US-PGPUB	
		(transform\$4 same volume)		
38	2	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:44
•		(view near2 volume)	US-PGPUB	
39	2	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:45
		(edge_bound\$4)	US-PGPUB	000 4 40 5 45 4
40	0	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:45
4.1		float\$4 with magnit\$4	US-PGPUB	2004/10/01 15 15
41	1	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:45
	<u></u>	float\$4 withcompar\$5	US-PGPUB	

42	1	((("5720019") or ("5982380")).PN.) and	USPAT;	2004/10/21 17:46
43	1	float\$4 with compar\$5 ((("5720019") or ("5982380")).PN.) and	US-PGPUB USPAT;	2004/10/21 17:46
-	34	<pre>(float\$4 magnitu\$4) with compar\$5 (float\$4 near2 point) same (magnitude\$3</pre>	US-PGPUB USPAT	2003/06/27 10:31
_	14	near4 compar\$4) (float\$4 near2 point) with (magnitude\$3	USPAT	2002/05/17 14:01
-	0	near4 compar\$4) ((float\$4 near2 point) with (magnitude\$3	USPAT	2002/05/17 13:57
· · =	0	<pre>near4 compar\$4)) and view\$4 near4 volum\$4 ((float\$4 near2 point) same (magnitude\$3 near4 compar\$4)) and view\$4 near4 volum\$4</pre>	USPAT	2002/05/17 13:57
-	0	(float\$4 near2 point) same (magnitude\$3 near4 compar\$4) same (edg\$4 near3 volum\$3)	USPAT	2002/05/17 13:59
_	1	((float\$4 near2 point) with (magnitude\$3 near4 compar\$4)) and vertex\$4	USPAT	2002/05/17 14:00
-	. 34	<pre>((float\$4 near2 point) same (magnitude\$3 near4 compar\$4)) or ((float\$4 near2 point)</pre>	USPAT	2002/05/17 14:02
-	21	<pre>with (magnitude\$3 near4 compar\$4))  (((float\$4 near2 point) same (magnitude\$3 near4 compar\$4)) or ((float\$4 near2 point) with (magnitude\$3 near4 compar\$4))) and</pre>	USPAT	2002/05/17 14:02
_	8	operan\$4 ((float\$4 near2 point) with (magnitude\$3	USPAT	2002/05/17 14:02
-	1	<pre>near4 compar\$4)) and operan\$4 (((float\$4 near2 point) with (magnitude\$3 near4 compar\$4)) and operan\$4) and volume</pre>	USPAT	2002/05/17 14:03
-	36	(float\$4 near2 point) with (magnitude\$3 with compar\$4)	USPAT; US-PGPUB;	2003/06/27 10:33
-	42603	cabs	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/27 10:46
-	1319	cabs and ((view near2 volume) or (clip\$4))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/27 10:45
-	2	((float\$4 near2 point) with (magnitude\$3 with compar\$4)) and ((view near2 volume) or (clip\$4))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/27 10:47
-	6	("5157764"   "5495434"   "5638500"   "6005590"   "6175851"   "6401108").PN.	IBM_TDB   USPAT	2003/06/27 10:43
-	0	6581087.URPN.	USPAT	2003/06/27 10:44
<u> </u>	0	<pre>(cabs and ((view near2 volume) or (clip\$4))) and (float\$4 near2 point) near4 compar\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/27 10:47
-	6	(cabs and ((view near2 volume) or (clip\$4))) and (float\$4 near2 point)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/27 10:46
-	2596	cabs	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/27 10:46
-	586	(float\$4 near2 point) near4 compar\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/27 10:48
		•	IBM TDB	1

				•
_	2	<pre>(((float\$4 near2 point) near4 compar\$4) and ((view near2 volume) or (clip\$4))) and ((float\$4 near2 point) near4 compar\$4) with (absolute\$3 or magnitud\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/27 11:14
_	3	(((float\$4 near2 point) near4 compar\$4) and ((view near2 volume) or (clip\$4))) and ((float\$4 near2 point) near4 compar\$4).ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:59
_	4	(((float\$4 near2 point) near4 compar\$4) and ((view near2 volume) or (clip\$4))) and ((float\$4 near2 point) near4 compar\$4).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/27 10:50
-	6	<pre>((((float\$4 near2 point) near4 compar\$4) and ((view near2 volume) or (clip\$4))) and ((float\$4 near2 point) near4 compar\$4).ti.) or ((((float\$4 near2 point) near4 compar\$4) and ((view near2 volume) or (clip\$4))) and ((float\$4 near2 point)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:56
_	·5	near4 compar\$4).ab.) ("3825895"   "4857882"   "5357237"	USPAT	2003/06/27 10:52
		"5630160"   "6205460").PN. ((("4866652") or ("5025407") or ("5159665") or ("5206823") or ("5220524") or ("5257216") or ("5278949") or ("5341321") or ("5367650") or ("5420966") or ("5420971") or ("5530663") or ("5805486") or ("5847979") or ("5880983") or ("5889690") or ("5892698") or ("5923577") or ("5928316") or ("5999960") or ("6169554") or ("6175370") or ("6249798") or ("6275838") or ("6426746") or ("4839846") or ("5038313") or ("5511016") or ("5550767") or ("5553015") or ("5602769") or ("6199089") or ("6510446") or ("5631859") or ("5652875") or ("5768170") or ("57995122") or ("5996066") or ("6115729")).PN.) and ((float\$4 near2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:59
	41	point) near4 compar\$4) (("4866652") or ("5025407") or ("5159665") or ("5206823") or ("5220524") or ("5257216") or ("5278949") or ("5341321") or ("5367650") or ("5420966") or ("5420971") or ("5530663") or ("5805486") or ("5847979") or ("5880983") or ("5889690") or ("5892698") or ("5923577") or ("5928316") or ("5999960") or ("6169554") or ("6175370") or ("6249798") or ("6275838") or ("6426746") or ("4839846") or ("5538313") or ("5511016") or ("5550767") or ("5553015") or ("5602769") or ("6199089") or ("6510446") or ("5671170") or ("5701442") or ("5768170") or ("5995122") or ("5996066") or ("6115729")).PN.	USPAT	2003/06/27 11:01
_	80	((float\$4 near2 point) near4 compar\$4) and ((view near2 volume) or (clip\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/27 13:52
-	12	<pre>(((float\$4 near2 point) near4 compar\$4) and ((view near2 volume) or (clip\$4))) and ((float\$4 near2 point) near4 compar\$4) same (absolute\$3 or magnitud\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/27 11:15

				0000/05/07 40 00
-	15	(((float\$4 near2 point) near4 compar\$4)	USPAT;	2003/06/27 13:02
		and ((view near2 volume) or (clip\$4))) and	US-PGPUB;	
		((float\$4 near2 point) near4 compar\$4)	EPO; JPO;	
		same (absolute\$3 or magnitud\$3 or size or	DERWENT;	
	3	<pre>quantity or distance or length) (((float\$4 near2 point) near4 compar\$4)</pre>	IBM_TDB USPAT;	2003/06/27 13:03
-	3	and ((view near2 volume) or (clip\$4))) and	US-PGPUB;	2003/00/2/ 13.03
		((float\$4 near2 point) near4 compar\$4) with	EPO; JPO;	
	·	(absolute\$3 or magnitud\$3 or size or	DERWENT;	
		quantity or distance or length)	IBM TDB	
_	3	(((float\$4 near2 point) near4 compar\$4)	USPAT;	2003/06/27 13:05
		and ((view near2 volume) or (clip\$4))) and	US-PGPUB;	
		((float\$4 near2 point) near4 compar\$4) with	EPO; JPO;	
		(absolute\$3 or magnitud\$3 or size or	DERWENT;	
		quantity or distance or length)	IBM TDB	
-	15		USPĀT;	2003/06/27 13:06
		and ((view near2 volume) or (clip\$4))) and	US-PGPUB;	
		((float\$4 near2 point) near4 compar\$4)	EPO; JPO;	
		same (absolute\$3 or magnitud\$3 or size or	DERWENT;	
		quantity or distance or length)	IBM TDB	
_	1	("6285779"):PN.	USPAT	2003/06/27 13:34
-	1	(("6285779").PN.) and ((view near2 volume)	USPAT	2003/06/27 13:37
		or clip\$4)		
-	1	(("6285779").PN.) and magnitud\$4	USPAT	2003/06/27 13:38
-	6	(("6175851") or ("5901076") or ("6581087")	USPAT	2003/06/27 13:51
		or ("6401108") or ("6298365") or		
		("5862066") or ("6298365")).PN.		
-	1	((("6175851") or ("5901076") or	USPAT;	2003/06/27 13:53
		("6581087") or ("6401108") or ("6298365")	US-PGPUB;	
		or ("5862066") or ("6298365")).PN.) and	EPO; JPO;	
		((float\$4 near2 point) near4 compar\$4	DERWENT;	
1		near2 (magnitud\$4 or distanc\$3 or	IBM_TDB	
·		absolut\$4)) and ((view near2 volume) or		
	_	(clip\$4))		0000100100 100 51
-	3	((("6175851") or ("5901076") or	USPAT;	2003/06/27 13:54
		("6581087") or ("6401108") or ("6298365")	US-PGPUB;	
		or ("5862066") or ("6298365")).PN.) and	EPO; JPO;	
		((float\$4 near2 point) near4 compar\$4 )	DERWENT;	
1	27	and ((view near2 volume) or (clip\$4))	IBM_TDB USPAT;	2004/02/06 13:23
-	21	thekkath.in.	US-PGPUB;	2004/02/06 13:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	12	thekkath.in. and compar\$4	USPAT;	2004/02/06 13:23
	12	energative and compative	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	thekkath.in. and compar\$4 near3 extension	USPAT;	2004/02/06 13:23
			US-PGPUB;	,
	[		EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	15	thekkath.in. and instruct\$4	USPĀT;	2004/02/06 13:25
	1		US-PGPUB;	
			EPO; JPO;	
	]		DERWENT;	
			IBM_TDB	
-	183	mips.as.	USPĀT;	2004/02/06 13:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	18	mips.as. and compar\$4 with instruct\$4	USPAT;	2004/02/06 13:34
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
1	1		IBM TDB	

	,			T
_	563	<b>↑</b> • • • • • • • • • • • • • • • • • • •	USPAT;	2004/02/06 13:35
	_	instruct\$4)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6	float\$4 with magnitud\$4 near5 compar\$4	USPAT;	2004/02/06 13:46
	0	near4 (operat\$4 or instruct\$4)	US-PGPUB;	2004/02/00 13:40
1		indir (operaty) or important,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0		USPAT	2004/02/06 13:37
-	825	compar\$4 near4 instruct\$4 near2 set	USPAT;	2004/02/06 13:47
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/06 12:47
-	0	compar\$4 near2 extension near4 instruct\$4 near2 set	USPAT;	2004/02/06 13:47
		nearz sec	US-PGPUB; EPO; JPO;	
			DERWENT;	İ
			IBM TDB	
_	825	compar\$4 near4 instruct\$4 near2 set	USPAT;	2004/02/06 13:47
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	i		IBM_TDB	
-	200	(	USPĀT;	2004/02/06 13:54
		float\$4 near2 point	US-PGPUB;	
			EPO; JPO;	, i
			DERWENT;	
l _	E C	//gompaned nearl instructed	IBM_TDB	2004/02/05 12 55
-	56	((compar\$4 near4 instruct\$4 near2 set) and float\$4 near2 point) and magnitud\$3	USPAT; US-PGPUB;	2004/02/06 13:55
		and froats4 hears point) and magnitud\$3	EPO; JPO;	
}			DERWENT;	
	1		IBM TDB	
_	10	((compar\$4 near4 instruct\$4 near2 set)	USPAT;	2004/02/06 13:50
1	1	and float\$4 near2 point) and magnitud\$3	US-PGPUB;	13.32, 55 13.30
		near4 compar\$4	EPO; JPO;	
	1	· ·	DERWENT;	
			IBM_TDB	
-	0	( (	USPAT;	2004/02/06 13:51
	1	and float\$4 near2 point) and magnitud\$3	US-PGPUB;	
	•	near4 compar\$4) and view near2 volume	EPO; JPO;	
	<u> </u>		DERWENT;	
_	0	(((compar\$4 near4 instruct\$4 near2 set)	IBM_TDB USPAT;	2004/02/06 13:51
		and float\$4 near2 point) and magnitud\$3)	US-PGPUB;	2004/02/00 13:31
		and view near2 volume	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	0	((compar\$4 near4 instruct\$4 near2 set)	USPĀT;	2004/02/06 13:51
		and float\$4 near2 point) and view near2	US-PGPUB;	
		volume	EPO; JPO;	
ļ			DERWENT;	
	_	///companed paged in the state of the state	IBM_TDB	2004/00/05 55 75
_	2	( (	USPAT;	2004/02/06 13:51
		and float\$4 near2 point) and magnitud\$3 near4 compar\$4) and edges	US-PGPUB;	
		neart comparyt, and edges	EPO; JPO; DERWENT;	
			IBM TDB	
_	14	((compar\$4 near4 instruct\$4 near2 set)	USPAT;	2004/02/06 13:53
	-	and float\$4 near2 point) and mips	US-PGPUB;	2001/02/00 13:33
		The state of the s	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3018618	(compar\$4 near4 instruct\$4 near2 set) and	USPAT;	2004/02/06 13:54
*		floatingnear2 point	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	

	200	(compar\$4 near4 instruct\$4 near2 set) and	USPAT;	2004/02/06 13:54
	200		US-PGPUB;	2001,02,00 10.01
<i>'</i>		floating near2 point	EPO; JPO;	
			DERWENT;	
	İ		IBM TDB	
	56	//	USPAT;	2004/02/06 14:01
_	26	((compar\$4 near4 instruct\$4 near2 set)	US-PGPUB;	2004/02/00 14:01
		and floating near2 point) and magnitud\$3	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	2	(/#C205770#) /#C200265#\\ DN	USPAT	2004/02/06 14:02
-	2 2	(("6285779") or ("6298365")).PN. ((("6285779") or ("6298365")).PN.) and	USPAT	2004/02/06 14:02
-			OSIAI	2001/02/00 11:02
	1	compar\$4 ((("6285779") or ("6298365")).PN.) and	USPAT	2004/02/06 14:05
-	1	compar\$4 near2 (instruct\$4 or operat\$4)	OSTAI	2001/02/00 14:03
	5	("3825895"   "4857882"   "5357237"	USPAT	2004/02/06 14:05
-		"5630160"   "6205460").PN.	001711	== 01, 02, 00 11.00
	5	(("3825895"   "4857882"   "5357237"	USPAT	2004/02/06 14:06
-	٦	"5630160"   "6205460").PN.) and compar\$4	OBITH	1001,02,00 11,00
•	4	(("3825895"   "4857882"   "5357237"	USPAT	2004/02/06 14:27
-	4	"5630160"   "6205460").PN.) and compar\$4	001111	2001, 00, 00 2110.
		near3 (instruct\$4 or operat\$4)		
_	77		USPAT	2004/02/06 14:27
1 _	1 0	magnitud\$4 near2 compar\$5 with coordinat\$4	USPAT	2004/02/06 14:27
		with (volume\$4 or edge)	******	
_	23	(magnitud\$4 near2 compar\$5 with	USPAT	2004/02/06 14:28
_	23	coordinat\$4) and compar\$4 near3		
		(instruct\$4 or operat\$4)		
_	1	(magnitud\$4 near2 compar\$5 with	USPAT	2004/02/06 14:28
	1	coordinat\$4) and compar\$4 near3	,	
		(instruct\$4 or operat\$4) near2 set		
_	1	(magnitud\$4 near2 compar\$5 with	USPAT	2004/02/06 14:35
		coordinat\$4) and compar\$4 near3		
		(instruct\$4 or operat\$4) near2 set		
_	0	oka with massaki.in.	USPAT	2004/02/06 14:36
_	22		USPAT	2004/02/06 14:51
_	24	1	USPAT	2004/02/06 15:21
_	1	5426513.pn. and first	USPAT	2004/02/06 15:21
-	1	5426513.pn. and first	USPAT	2004/02/06 15:21